

| | DITALIAD CDARAIN DANK DDANCU - VAUNDIID I | 7111111 B | ODAD | 20 | |
|---------|---|-----------|------|--|--|
| .N | PUNJAB GRAMIN BANK, BRANCH - KAHNPUR I Description of Items | Qty | Unit | Rate | Amount |
| Parties | 2001 pasit of items | J | | | 7 |
| | | | | (In Rs.) | (In Rs.) |
| 1. | CLERICAL & OFFICER COUNTER | 91 | Rft. | | - |
| | P & F of clerical & officer counter 4'-6" x 2'-6" wide & 2'-6" feet high | | | | |
| | with 12° high, 12 mm thick glass on front & in between counters with | | | 1 | is . |
| 2, | required wooden/aluminums support. Last counter shall have | | | | |
| | wooden partition 4'-0"x4'-0" with both side 1 mm thick laminate & | | | | le e |
| | teak wood molding & all around duly polished. Counter shall be | | | ĺ | 8 |
| | made of 19 mm thick commercial board of Duro/ Century/ kit ply. It | | | | l |
| | shall be finished with 1 mm thick laminate of CEDAR WHITE color | | | | l |
| | on all sides of counter. The rates also include drawer with Hettich | | | | 1 |
| | ball bearing slides, cabinet box etc. Counters are to be provided with | | | | |
| | computer keyboard tray of Ebco make code no KBT 45 and drawers | | | | |
| | and boxes also making position for electrical points conduits & | | | | |
| | switch boxes with plastic round shape 2* diameter openings etc also fitting of U.P.S shelf, foot rest of 3" x 1.5" in C.P. teak wood at the | | | i | |
| | bottom. I.e. complete job in all respects with fitting and accessories | | | | |
| | like Godrej locks, handles, hinges etc. Lower portion 4" wide shall | | | | |
| | be in burgundy color laminate (Bank shade) on front and side. | | | l | |
| | Edges of the counter shall have teak wood molding duly polished. | | | | |
| | Edges shall be covered with teak wood molding/margin duly | | | | 2 |
| | burgundy color (Bank color) polished. | | į. | | |
| | CASHIER COUNTER (With Door Closer) | 51 | Rft. | 1 | 1 |
| | Providing and fixing of CASHIER counter 5'-0" x 2'-6" wide, 3'-9" | | | | |
| | high shall be made of 19 mm. thick commercial board of Duro/ | | | 1 | 6 |
| | Century/kit ply and finished with 1mm. CEDAR WHITE color | | | | T. |
| | laminate on all vertical & exposed and visible surfaces of counter. | | | | la contract of the contract of |
| | Counters are to be provided with computer keyboard tray of Ebco | | | | i. |
| | make code no KBT 45 and drawers with hettich ball bearing slides | | | | |
| | for drawer slides with partition for keeping currency and boxes. Also | | | | × |
| | marking position for electrical points conduits & switch boxes with | | | | |
| | plastic round shape 2" diameter openings etc also fitting of U.P.S. | | | | |
| | shelf at bottom, i.e complete job in all respects with fittings and accessories like godrej locks, handles, hinges etc. Lower portion 4* | | | ı | |
| | wide shall be in burgundy color laminate (Bank shade) on front and | | | | |
| | side Edges of the counter shall have teak wood molding duly | | [| | |
| | polished. | | | | |
| 3. | MANAGER TABLE 6' X 3'-0" with side rack & Back rack | -1 | Nos. | ļ | |
| | manager table -side rack of size 3'-3" X 1'-6" & back rack 4'-6" x 1'- | | | | |
| | 6" x 2'-6" made of 19 mm thick anti termite commercial board/ | | İ. | | |
| | Bishop Board. Top and vertical – exposed surfaces shall have 1mm. | | | | |
| | thick WHITE CEDAR laminate matching with existing table all | | | | |
| | exposed edges shall have teak wood molding duly polished. Lower | | | | |
| | portion 4" wide shall be in burgundy color laminate (Bank shade) on | | 1 | l | |
| | front and side. The rate also includes fitting of lockable keyboards, | | | | |
| | locks in drawers with Hettich ball bearing slides, terminals & C.P.U | | | | ** |
| | Shelf, foot | | | | |
| | rest of size 3" x 1.5". The non sun mica area should be duly painted | | | | |
| | or polished after making the smooth ground with second quality paint and chalk mittii i.e. Complete job in all respects.\ | | | | |
| 4. | OFFICER TABLE WITH SIDE RACK | 1 | NO. | | |
| Λ | | | | | |



| Providing of table of size 5'-0"x2'-6" with side rack of size 3'-3" X 1'- 3" & Side Partition 4'-0" x 4'-0" made of 19 mm thick anti termitle commercial board. Top and vertical — exposed surfaces shall have 1mm. thick WHITE CEDAR laminate all exposed edges shall have teak wood molding duly polished. Lower portion 4" wide shall be in burgundy cooler- laminate (Bank shade) on front and side. The rate also includes fitting of lockable keyboards, drawers with Hettich ball bearing slides, terminals & C.P.U Shelf, foot rest of size 3" x 1.5". The non sun mica area should be duly painted or polished after making the smooth ground with second quality paint and chalk mittil i.e. Complete job in all respects. 5. ALUMINIUM PARTITION WALLS (Cashler Cabin with door - 7' high) Providing and fixing of aluminum cash cabin partition walls. The aluminum section should be 4" x 1.75"x 2 mm ivory color powder coated. Providing & fixing of 8 mm thick glass on front & 8 mm thick ivory color powder coated twisted bar aluminum jail at sides and celling. 3'-5" High lower portion of the partition wall should have pre -laminated board / Bison Broad Ivory color fixed in aluminum frame matching with the Ivory color lamination. Upper portion of the partition shall have 6 mm thick glass. A horizontal gap of 2" width at the front so that customer & cashier can listen to each other. The aluminum frames including channels, beading & u shaped neoprene gasket. The rates also include fixing of stoppers, handles, hinges, door closer & Goderaj lock to the cashier door etc complete job in all respects. |
|---|
| (Cashler Cabin with door - 7' high) Providing and fixing of aluminum cash cabin partition walls. The aluminum section should be 4" x 1.75"x 2 mm ivory color powder coated. Providing & fixing of 8 mm thick glass on front & 8 mm thick ivory color powder coated twisted bar aluminum jall at sides and celling. 3'-6" High lower portion of the partition wall should have pre-laminated board / Bison Broad Ivory color fixed in aluminum frame matching with the Ivory color lamination. Upper portion of the partition shall have 6 mm thick glass. A horizontal gap of 2" width at the front so that customer & cashier can listen to each other. The aluminum frames including channels, beading & u shaped neoprene gasket. The rates also include fixing of stoppers, handles, hinges, door closer & Goderaj lock to the cashier door etc complete job in all |
| Providing and fixing of aluminum cash cabin partition walls. The aluminum section should be 4" x 1.75"x 2 mm ivory color powder coated. Providing & fixing of 8 mm thick glass on front & 8 mm thick ivory color powder coated twisted bar aluminum jall at sides and celling. 3'-6" High lower portion of the partition wall should have pre-laminated board / Bison Broad Ivory color fixed in aluminum frame matching with the Ivory color lamination. Upper portion of the partition shall have 6 mm thick glass. A horizontal gap of 2" width at the front so that customer & cashier can listen to each other. The aluminum frames including channels, beading & u shaped neoprene gasket. The rates also include fixing of stoppers, handles, hinges, door closer & Goderaj lock to the cashier door etc complete job in all |
| respects. |
| 6. ALUMINIUM PARTITION WALLS 120 Sqft. (Manager 5'-0" high) |
| Providing and fixing of aluminum Manager Cabin partition walls. The Aluminum section should be 4 " x 1.75" x 2 mm ivory color powder coated. 3'-6" High lower portion of the partition wall should have pre-laminated board / Bison Broad Ivory color fixed in aluminum frame matching with the Ivory color lamination and upper portion shall have 8 mm thick glass. The aluminum frames including channels, beading & u shaped neoprene gasket. The rates also include providing & fitting of all etc. i.e. Stoppers, handles, hinges, shutter, door closer, complete job in all respects. Wooden piece should be inserted in the aluminum pillars at both the entries of Manager cabin and all corners of the partition which should be 4 inches deep in the earth along with Behr as (Iron piece) at the bottom of the wooden piece. |
| 7. MANAGER TABLE - TOP GLASS - 1 Nos. 6'-0"X 3'-0"- 8MM with grinding of corners. |
| 8. VOUCHER STAND 1 No |
| Voucher stand of size 4'-0"x 3'-0" x 1'-0" made of 19 mm Anti- termite commercial board. All exterior surfaces shall have 1mm thick laminate including partition boxes .lt shall have 5 partitions for keeping vouchers. All edges shall have teak wood margin/ molding with duly polish in burgundy color (Bank Shade). |
| 9. NOTICE BOARD 1 No |
| Notice board of size 4'-0" x 2'-0" made of 19 mm anti termite commercial board at back. Board shall be covered with 12 mm thick celotex board & matty fabric of burgundy color. Front & all side shall be covered with 1mm thick laminate. All edges shall be covered with teak wood margin/ molding and duly polished burgundy (Bank Shade). |
| 10. SUGGESTION BOX |



| | Suggestion box of size 1'-0" x 1"-0" x 9" made of 19mm thick commercial board. All exposed surfaces shall be covered with 1mm thick laminate of white cedar color. Edges Shall be covered with teak wood margin/ molding. It shall be polished in burgundy color (Bank color). A slit opening of 10 mm 22150mm is o be provided at the top of the box an open able shutter made of 19mm thick drop board is to be provided. Proper arrangement for locks shall be made | 2 | | | |
|-----|---|-------|-------|-------------|---------|
| 11. | by the contractor. MAIN ENTERANCE DOOR - (As per site / 7'-0" x 8'-0", 1'x8', 1'x7') (With Lock & Door Closer) | 71 | Sqft | | |
| | P & F of aluminum door up to door beam helght. It shall have two equal doors. The aluminum section should be 4"x 1.75" x 2 mm for frame & panel, ivory colored powder coated. The lower 3'-0" high portion of the door should have pre- laminated board / Bison Board fixed in aluminum frame of ivory color. Upper partition shall have 6 mm thick glass. These aluminum frames including channels, beading & u shaped neoprene gasket. The rates also includes providing & fitting of all hardware items such as Godrej locks, stoppers, handles, door closer, hinges etc., i.e. Complete job in all respects. | 700 | | | · |
| 12. | FALSE CEILING (at 8'-6" high) | 830 | Sqft. | | 2 |
| | P & F in position false ceiling in Armstrong 600 X 600 mm x 15/16 mm Dune Supreme RH 99 Prima file as specified by Armstrong Co. with suspenders wherever required making necessary cutouts for A.C. ducting. If any and necessary cutouts for diffusers and light fittings, taping and finished to proper line & level including making groves and trap doors for A.C. Unit in 18 mm thick M.R. Grade plywood with stainless steel hinges & locks with molding 1" x 1" for edges, if any including finishing with white plastic emulsion paint etc. complete in all respects. (Note: - Only the plan area will be measured for payment. No extra payment will be made for cutouts, grooves, moldings, steps or any type of design etc.) | | N- | | |
| 13. | STEEL SETTEE | 2 | No. | • | 0 |
| 18 | Providing of three seater silver color steel settee. | | | | |
| 14. | SIDE TABLE (2'-0" x 2'-0") | 1 | No. | | |
| | S/F keeping in position side table made out of 3/4" commercial board, CP T/Wd rigid framing 1.5" X 1.5" size wood. The table top shall be of 3/4" thick block board and in mica laminate 1.0 mm thick of bank shade. All wood work s shall be wax/spirit polished over a coat of Linseed oil finish. | | | | ٠ |
| 15. | PANELLING | 790.5 | Sft. | | <u></u> |
| | PVC Panelling (Gold DI Heavy) lvory & burgundy color with border As per Architect design | | | | |
| | TOTAL | 07402 | | | |



| L | IST OF APPROVED MATERIALS & MANUFACTURERS |
|--|---|
| | . Block Board/ ply 19mm water proof and phenol bonded : Tower brand of duroboard/ sainik brand of century / Ecotech brand of green Lam |
| | . Ply / all relevant thickness – water proof and phenol bonded : Tower brand of duroboard/Sainik brand of century/ Ecotech brand of green Lam |
| 3 | . Teak ply phenol bonded : Duroboard/ century / kit/ green |
| 4 | . Laminate – 1.00 mm thick : Green Lam/ Formica Sunmica/ Kitlam / Amulya/ Century |
| 4 1 *** | . Door closer / Floor spring : Everite, Godrej |
| | . Drawer & keyboard sliderails : Ebco Godrej/ Earl bihari & Good Quality (Heavy Quality). |
| 0.000 | . Glue for fixing commercial board/ laminate : Fevicol (Pidilite). |
| | . Glass: Modi float / St. Gobain. |
| | Mortice latch & lock : Godrej. |
| | 0. Polish: Melamine Polish |
| | Alumiumn section : Jindal/ Hindalco/ Mahavir |
| Sec. 25. 25. 25. | 2. Aluminum Cladding : Eurobond / Alston |
| 4 | 3. Locks / Night latch : Eurobond / Alston |
| 8 | 4. Key Board Tray: EBCO (Type- Computer key board station)/ Godrej. |
| | 5. Wood Preservative : Asian Paint |
| | 6. Vertical Blinds : Vista / Mac/ Levelor |
| * | 7. Robber foam & Polyurethane Foam : Dunlop |
| The state of the s | 8. Beadings – relevant thickness & design : As designed in teak wood |
| | 9. Teak Wood : MP Teak Wood (Gr. L) |
| | NOTE: |
| | GST extra as applicable. All the payments will be subject to provisions of TDS/TCS of Income Tax Act, 1961 as per applicable rates in force. Service Provider (Vendor) will be liable for all applicable taxes as may be applicable on said supply of goods and services to the Bank. No extra work is allowed without written permission from the bank & architect. Before starting the work, contractor shall have detailed drawings from Bank. Any Item of the above tender may be cancelled, if the condition of existing furniture is satisfactory. Contractor shall complete the work within 3 weeks from the date of work allotted to him. In case work is not completed within prescribed time, contractor shall penalized Rs. 1000.00 per day. In case any item is brought from existing running branch, contractor shall refix the same and he shall be paid labour for the same. |