


**FINANCIAL BID FOR FURNISHING WORK**
**PUNJAB GRAMIN BANK, BRANCH OFFICE – KAPURTHALA**

S. No.	Description of items	Qty	Unit	Rate (In Rs.)	Amount (In Rs.)
1.	<b>COUNTER TABLE</b>	4	No.		
	P & F of counter table 4'-0" x 3'-0" x 2'-6" (approx.) (finalize as per site), includes front glass partition 12" high with wooden supports 2"x2" duly polished & finished. Counter shall have on one side 4'-0" x 4'-0" partition both side 1 mm thick laminate & teak wood molding & all around duly polished. Counter shall be made of 25 mm thick particle board of Duro/ Century/ kit ply. It shall be finished with 1 mm thick laminate of <b>CEDAR WHITE</b> color on all sides of counter. The rates also include drawer with Hettich ball bearing slides, cabinet box etc. Counters are to be provided with computer keyboard tray of Ebco make code no KBT 45 and drawers and boxes also making position for electrical points conduits & switch boxes with plastic round shape 2" diameter openings etc also fitting of U.P.S shelf, <b>foot rest of 3" x 1.5" in C.P. teak wood</b> at the bottom. I.e. complete job in all respects with fitting and accessories like Godrej locks, handles, hinges etc. Lower portion 4" wide shall be in burgundy color laminate (Bank shade) on front and side. Edges of the counter shall have teak wood molding duly polished. Edges shall be covered with teak wood molding/margin duly burgundy color (Bank color) polished. <b>Item complete in all respect.</b>				
2.	<b>CASHIER COUNTER</b>	1	No.		
	Providing and fixing of CASHIER counter 6'-3" x 2'-6" wide, 3'-9" high and 5'-0" x 1'-6" x 2'-6" shall be made of 25 mm. thick particle board of Duro/ Century/kit ply and finished with 1mm. <b>CEDAR WHITE</b> color laminate on all vertical & exposed and visible surfaces of counter. Counters are to be provided with computer keyboard tray of Ebco make code no KBT 45 and drawers with hettich ball bearing slides for drawer slides with partition for keeping currency and boxes. Also marking position for electrical points conduits & switch boxes with plastic round shape 2" diameter openings etc also fitting of U.P.S. shelf at bottom. i.e complete job in all respects with fittings and accessories like godrej locks, handles, hinges etc. Lower portion 4" wide shall be in burgundy color laminate (Bank shade) on front and side. Edges of the counter shall have teak wood molding duly polished. <b>Item complete in all respect.</b>				
3.	<b>MANAGER TABLE 5'-7" X 2'-6" with side rack(3'-6" X 1'-6")</b>	1	Nos.		
	Manager table -side rack of size 3'-6" X 1'-6" made of 25 mm thick (only top surface) particle board. Top and vertical – exposed surfaces shall have 1mm. thick <b>WHITE CEDAR</b> laminate matching with existing table all exposed edges shall have teak wood molding duly polished. Lower portion 4" wide shall be in burgundy color laminate (Bank shade) on front and side. The rate also includes fitting of lockable keyboards, locks in drawers with Hettich ball bearing slides, terminals & C.P.U Shelf, foot rest of size 3" x 1.5". The non sun mica area should be duly painted or polished after making the smooth ground with second quality paint and chalk mittii I.e. Complete job in all respects. <b>Item complete in all respect.</b>				
4.	<b>ALUMINIUM PARTITION WALLS (CASHIER CABIN 7' HT.)</b>	192 (Approx)	Sft.		
	Aluminum section shall be 4" x 1.75" x 3 mm ivory color powder coated. Partition shall have 8 mm thick glass on front & sides. Portion shall have 3'-6" ht. glass 8 mm thick glass & 8 mm powder coated jali. Lower 3'-6" Ht. Portion shall have pre-laminated board / Bison Broad Ivory color fixed in aluminum frame matching with the Ivory color lamination. Roof of the cashier cabin shall also have 8 mm thick powder coated jali. The rates also include fixing of stoppers, handles, hinges, door closer & Goderaj lock to the cashier door etc complete job in all respects. <b>Item complete in all respect.</b>				





5.	<b>ALUMINIUM PARTITION WALLS</b> <b>MANAGER CABIN PARTITION 5'-0" HT.</b>	<b>55</b> <b>(Approx.)</b>	<b>Sft.</b>		
	P & F Manager Cabin Portion 5'-0" Ht. of 4" x 1.75" x 3 mm ivory color powder coated section. Lower Portion 3'-6" Ht. shall have pre-laminated board / Bison Board Ivory color fixed in aluminum frame matching with the Ivory color lamination. Upper portion of the partition shall have 8 mm thick glass. The rates includes U-shaped neoprene gasket and any petty items etc. complete in all respect. <b>Item complete in all respect.</b>				
6.	<b>MAIN ENTERANCE DOOR ( With Lock &amp; Door Closer )</b>	<b>90</b> <b>(Approx.)</b>	<b>Sft.</b>		
	P & F of aluminum door up to door beam height. It shall have two equal doors. The aluminum section should be 4" x 1.75" x 3 mm for frame & panel shall be ivory colored powder coated. The lower 3'-0" high portion of the door should have pre-laminated board / Bison Board fixed in aluminum frame of ivory color. Upper part shall have 6 mm thick glass. These aluminum frames includes channels, beading & u shaped neoprene gasket. Rates includes providing & fitting of all hardware items such as Godrej locks, stoppers, handles, door closer, hinges etc., i.e. Complete job in all respects. <b>Item complete in all respect.</b>				
7.	<b>VOUCHER STAND</b>	<b>1</b>	<b>No</b>		
	Voucher stand of size 4'-0" x 2'-0" x 1'-0" made of 19 mm Anti-termite commercial board. All exterior surfaces shall have 1mm thick laminate including partition boxes .It shall have 5 partitions for keeping vouchers. All edges shall have teak wood margin molding with duly polish in burgundy color ( Bank Shade). <b>Item complete in all respect.</b>				
8.	<b>NOTICE BOARD</b>	<b>1</b>	<b>No</b>		
	Notice board of size 4'-0" x 2'-0" made of 19 mm anti termite commercial board at back. Board shall be covered with 12 mm thick celotex board & matty fabric of burgundy color. Front & all side shall be covered with 1mm thick laminate. All edges shall be covered with teak wood margin/ molding and duly polished burgundy (Bank Shade). <b>Item complete in all respect.</b>				
9.	<b>SUGGESTION BOX</b>	<b>1</b>	<b>No.</b>		
	Suggestion box of size 1'-0" x 1'-0" x 9" made of 19mm thick commercial board. All exposed surfaces shall be covered with 1mm thick laminate of white cedar color. Edges Shall be covered with teak wood margin/ molding. It shall be polished in burgundy color (Bank color). A slit opening of 10 mm X 150mm is to be provided at the top of the box, an open able shutter made of 19mm thick drop board is to be provided. Proper arrangement for locks shall be made by the contractor. <b>Item complete in all respect.</b>				
10.	<b>FALSE CEILING ( at 10'-6" high)</b>	<b>1100</b> <b>(Approx.)</b>	<b>Sft.</b>		
	Providing and fixing in position false ceiling having size of 600 mm X 600 mm X 15mm of standard make (Armstrong or equivalent) with 24 mm grid channel system as specified by Company with suspenders Wherever required making necessary cutouts for AC ducting. If any necessary cutout for diffusers and light fittings, tappings and finished to proper line & level <b>complete in all respect.</b> (Note: - Only the plan area will be measured for payment. No extra payment will be made for cutouts, grooves, moldings, steps or any type of design etc.)				
11.	<b>STORAGE CABINET</b>	<b>6</b>	<b>No.</b>		
	Providing and fixing in position modular wooden storage cabinets along with adjustable partitions having 3'-0" ht. and 1'-6" depth and 4'-0" width etc. It shall be made out of 25.0 mm thick (only top surface) and 19 mm particle board (Duro/Century/ Kit ply) with 1.0mm thick laminate (white cedar) on all exposed surface and 1.0 mm thick laminate (burgundy) on skirting. The shutters shall have CAM locks, handles, auto closing crank hinges, magnetic catchers etc. of approved make. All the exposed edges of board shall be concealed with 2.0 mm PVC edges binding. <b>Item complete in all respect.</b>				

12.	PANELING (Up to Ceiling Ht.)	1700 (Approx.)	Sft.		
	PVC Paneling (Gold Di Heavy) Ivory & burgundy color with border As per Architect design. <b>Item complete in all respect.</b>				
	<b>TOTAL (In Rs.)</b>				
	<b>GST ( 18 % )</b>				
	<b>GRAND TOTAL (In Rs.)</b>				

**TOTAL IN WORDS:**

