TO SE	FINANCIAL BID FOR ELECTRICAL WORK -F BRANCH - BAKARPUR, DIST					
Chio	Descriptions of items	QTY	Unit	Rate	Amount	
	LIGHT & FAN POINT (6 amp.)	60	No's			
	P & L 6 amp lights, fans, plug & five pin multi socket etc point		7.00			
	wiring 2 x 1.0 sq mm + 1x1.5 sq mm PVC Insulated multi strand					
	copper conductor cable ISI mark in conduit or under false ceiling with			by all the last of		
	modular switches in Ms box complete in all respect with inter					
	connection with button holder.					
			21.2			
2	16 AMP POINT	4	No's			
	P & L 16 amp. modular switch & five pin multi socket with indicator			Land Day		
	complete with interconnections between switch & socket with wiring			0.011		
	2 x 4 sq mm + 1x 2.5 Sq mm PVC insulated multi strand copper					
	conductor cable form panel to point in P.V.C pipe with MS box recess					
	in wall connected with 32 amp MCB in the panel. (1 Manager, 1					
	Panty & 1UPS).					
3	32 AMP WIRING FOR AC	3	No's		- Andrew	
	P & F 32 amp. wiring 2 x 4 Sq mm + 1 x 2.5 Sq mm from panel to					
	point of AC, wire shall be multi strand insulated by copper conductor					
	cable .Point shall have one AC starter in nearest switch board,					
	connected with DP MCB in the panel and controlled by 4 way isolator					
	in the panel. Wiring shall be in wall & under ceiling in PVC pipe.					
4.	PANEL TO UPS WIRING	30	Mtr.			
	2 x 6 sq mm PVC insulated multi strand copper conductor cable &					
	1.75 sq mm ISI mark form panel to UPS including PVC conduit pipe/					
	false ceiling complete in all respect					
5.	COMPUTER POINT (1 for each computer)	11	Nos.			
	Installation of computer points with 4 sockets and 1 switch with					
	indicator including wiring with 2 x 1.5 mm + 1mm sq mm PVC					
	insulated multi strand copper conductor cable in wall or under false					
	ceiling with switches socket & box complete in all respect.					
6.	TELEPHONE POINT	2	Nos.			
	One No's telephone jack, complete with interconnections Modular					
	type ISI Mark including wiring with 2 x 0.51 sq mm copper with					
	silver coated one pair PVC insulated sheathed twin core telephone					
	wire (for telephone) from main line to telephone jack in Ms box					
	Recess in wall or under computer.					
7.	CALL BELL: (Manager)	1	No.			
	P & F electrical point wiring for call bell with 2 X 1.5 sq mm PVC					
	insulated multi strand copper conductor cable of in PVC conduit pipe					
	wiring providing bell ceiling rose or connector & 6 amp ding done					
	bell.					
3.	TUBE LIGHT-LED (On the walls)	1	No.			
	P & F 22 watts tube light one in the cashier cabin and in the back					
	portion complete set. The tube lights should Philips/ Bajaj/					
	Company.(Strong Room)					
•		6	No.	-		
9.	LED -BULB	0	INO.			
	P & F 20 WATTS in the Strong Room, Stationary, Pantry, U.P.S. and					
	Wash Room.	10	N		1505	
10.	WALL FAN	12	No			
	P & F of 16" wall fan with necessary wiring and switches.					
1.	CEILING LIGHT (36 watt LED)	22	No.			
	P & F of 2'x2' sq LED lights of Crompton co. The rate includes the					
	complete fitting of chowks, rods and wire i.e. complete job in all					
	respects.					
12.	CEILING FAN WITH REGULATOR:	2	No's			
	P & F of Ceiling FAN of Orient or Crompton greaves 48".					

13.	EARTHING FOR THE U.P.S & DP PANEL (with Guarantee of 10 years)	1	No	
	Supply & installation of earth stations with 600 x 600 x 3 mm thick.	4-1		
	Copper plate electrode complete with 25 mm dia "B" class G.I. pipe			
	for watering including funnel 30 cm masonry chamber with precast			
	RCC cover complete with salt & charcoal filling (as per IS: 3034 –			
	1987) incl. copper strips 25 mm x 3 mm thick. With copper base plate			
	up to earth level 4.5 mtr. deep from earth level with complete wiring			
	including 6 sq. mm copper wire form earth to UPS & panel.			
		1	No	
4.	PANEL: (Anchor Company) Supply & installation testing & commissioning of cubical type control	L.	110	
	panel made out with 16 SWG CRCA sheet duly painted with two coat			
	of red oxide one coat of enamel paint complete with interconnections			
	in such a way that when main supply, security and fire alarm system			
	remain energized both supply i.e. PSEB and E/A supply complete in			
	all respects comprising with following items:			
)	125 amps. 4 pole MCCB for PSEB INCOMING SUPPLY .			
ii)	Kit Kats 100 amp. – 3 nos			
iii)	100 amps. 4 pole on load change over switch			
	(for selection of supply between E/A and PSEB)			
iv)	4 no. DP with MCB Three, for AC & one for UPS & One Spare			
	before Generator.			
v)	4 Way TPN with isolator & 12 MCB as required for Ac & Lights Plug & Fan.			
vi)	6 nos DP MCCB for UPS, sign board & AC, 1 nos 100 amp. Bus			
	bars before generator & one no 100 amp. Bus bar after generator.			
vii)	VAF meter including 200/5 current transformer.			
viii)	3 no. indication lamp.			
15.	UPS OUTPUT & INPUT	1	No's	
i)	Two DP 25 amps. Including box for input and output supply complete			E-12 17412 1/2 10 10 5 5 5 5 5
.,	in all respect.			
ii)	8 way SPN distribution board double door with 6 no's MCB, 10 ka			
,	breaking capacity and 1 No 25 amp DP MCB ISI Mark (for UPS			
	output supply) in Ms cubical box of suitable size, necessary misc.			
	hardware, knobs, rubber gas key duly painted with low coats of red			
	oxide one coat of enamel paint.			
iii)	P/F earth conducting with 8 no's copper wire earth pit to UPS panel.			
16.	EXHAUST FAN	2	No's	
10.	Exhaust Fans 12" Dia: 1400 rpm (Double ball bearing) Heavy duty			
	Crompton Greaves/ Phillips.			
17.	DOWN LIGHT	20	No's	
1 /.		20	110 3	
	Providing & fixing 15 W LED recessed down lighter complete with			
	all accessories in the ceiling including giving connections complete as			
	required. Rate should include for all necessary supports for mounting			
	the light fitting.		D.O.	
18.	AC COPPER PIPE	60	Rft.	
	AC CUPPER WIRE ½ & ¼ "with insulation And wire, 2x4 Sq.mm. And 1x2.5 Sq.mm Complete in All Respect.			
A	TOTAL			





Providing CAT 6E Cable (Make D- Link) With Labor including 2 set of wires from Hub to Main Outdoor. Providing CAT 6E information out let single with face plate (make D- link) Providing tow module PVC box for information outlet complete with Intel connection & SMB. Providing CAT 6E MOUNTING CORD 1 METER (Make D-	160 11	Meter Nos.	
D- link) Providing tow module PVC box for information outlet complete with Intel connection & SMB.		Nos.	
with Intel connection & SMB.	11		
Providing CAT 6F MOUNTING CORD 1 METER (Make D-		Nos.	
Link)	11	Nos.	
. Providing CAT 6E MOUNTING CORD 2 METER (Make D-Link)	11	Nos.	
. 24 port jack panel (make D- Link, HCL) with fitting complete in all respect.	1	Nos.	
. Charges for installation of Hub rack.	1	Nos.	
P &F of U rack including fan and trey including punching of lane cable with I.O. & other end in jack panel	1	No.	
TOTAL			
OTAL OF ELECTRICAL WORKS (A+B) =			

TOTAL IN WORDS: