| Annexure-10A | | | | | | |
|--------------|--|---------|---------------|-----------|------------|--|
| | FINANCIAL BID FOR FURNISHIN | G WOR | K | Anne | Xui C-10/X | |
| क्रम | PUNJAB GRAMIN BANK, BRANCH – B | | | | | |
| S. No. | Description of items | Qty | Unit | Rate | Amount | |
| . 110. | Description of items | ~3 | 50.42 T. 1816 | 6.500,2.5 | | |
| | | | | (In Rs.) | (In Rs.) | |
| 1. | CLERICAL / OFFICER TABLE – 4 No's | 18'-00" | Rft. | | | |
| | P & F Clerical/ officer Counter 4 No's x 4'-6" x 2'-6" X 2'-6" Ht. with on | | | | | |
| | . Counter shall have wooden partition 4'-0"x4'-0" with & all around duly | | | | * | |
| | polished on one side of counter. Counter shall be made of 19 mm thick | | | | | |
| | commercial board of Duro / Century/ kit ply. It shall be finished with 1 | | | | | |
| | mm thick laminate of CEDAR WHITE color on all sides of counter. The | | | | | |
| | rates also include drawer with Hettich ball bearing slides, cabinet box etc. | | | | a | |
| | Counters are to be provided with computer keyboard tray of Ebco make code no KBT 45 and drawers and boxes also making position for electrical | | | | | |
| | points conduits & switch boxes with plastic round shape 2" diameter | | | | | |
| | openings etc also fitting of U.P.S shelf, foot rest of 3" x 1.5" in C.P. teak | | | | | |
| | wood at the bottom. I.e. complete job in all respects with fitting and | | | | | |
| | accessories like Godrej locks, handles, hinges etc. Lower portion 4" wide | | | | | |
| | shall be in burgundy color laminate (Bank shade) on front and side. Edges | | | | | |
| 4 | of the counter shall have teak wood molding duly polished. Edges shall be | | | | | |
| | covered with teak wood molding/margin duly burgundy color (Bank color) | 4. | | | | |
| 2. | polished. CASHIER TABLE | 6'-00" | Rft. | | | |
| 2. | Providing and fixing of CASHIER counter 6'-0" x 2'-6" wide, 3'-9" high | 0 00 | IXIC. | | | |
| | shall be made of 19 mm. thick commercial board of Duro/ Century/kit ply | | | | 190 | |
| | and finished with 1mm. CEDAR WHITE color laminate on all vertical & | | | | | |
| | exposed and visible surfaces of counter. Counters are to be provided with | | | | | |
| | computer keyboard tray of Ebco make code no KBT 45 and drawers with | | | | | |
| | hettich ball bearing slides for drawer slides with partition for keeping | | | | | |
| | currency and boxes. Also marking position for electrical points conduits & | | | | | |
| | switch boxes with plastic round shape 2" diameter openings etc also fitting of U.P.S. shelf at bottom, i.e. complete job in all respects with fittings and | | | | | |
| | accessories like godrej /LATCH locks, handles, hinges etc. Lower portion | | | | | |
| | 4" wide shall be in burgundy color laminate (Bank shade) on front and | | | | | |
| | side. Edges of the counter shall have teak wood molding duly polished. | | | | | |
| 3. | MANAGER TABLE 6'-0" X 2'-6" WITH SIDE RACK 3'-6" X 1'- | 1 | Nos. | | 1 | |
| | 6"X 2'-6" | | | | | |
| | Manager Table 6'-0" x 2'-6" x 2'-6" with side rack of size 3'-6" X 1'-6", | | | | | |
| | 2'-6" high. It shall be made of 19 mm thick anti termite commercial board/ Bishop Board. Top and vertical – exposed surfaces shall have 1mm. thick | | | | | |
| | WHITE CEDAR laminate matching with existing table all exposed edges | | | 13 | | |
| | shall have teak wood molding duly polished. Lower portion 4" wide shall | | | | | |
| | be in burgundy color laminate (Bank shade) on front and side. The rate | | | | | |
| | also includes fitting of lockable keyboards, locks in drawers with Hettich | | | | | |
| | ball bearing slides, terminals & C.P.U Shelf, foot rest of size 3" x 1.5". | | | | , | |
| | The non sun mica area should be duly painted or polished after making the | | | | | |
| | smooth ground with second quality paint and chalk mitti I.e. Complete job | | | | | |
| 4. | in all respects. MANAGER TABLE – TOP GLASS 6'-0" X 2'-6" X 12 MM WITH | 1 | Nos. | | | |
| 4. | GRINDING OF EDGES & CORNERS | | 1103. | | | |
| 5. | OFFICER TABLE & CLERICAL TABLE – TOP GLASS | 4 | Nos. | | ~ | |
| | 4'-6" X 2'-6" X 8 MM WITH GRINDING OF EDGES & CORNERS | | | | | |
| 6. | ALUMINIUM PARTITION | | | | | |
| | CASHIER CABIN 7' HT. | 110 | Sq.ft. | | | |
| | Aluminum section shall be 4" x 1.75" x 2 mm ivory color powder coated. | | | | * | |
| | Partition shall have 8 mm thick glass on front & sides. Upper Portion 3'-6" | | | | | |
| | ht. shall have 8 mm thick glass & 8 mm powder coated jaali on walls. Front of the cabin shall have horizontal gap of 2" width at the front so that | | | | | |
| | customer & cashier can listen to each other. Lower 3'-6" III. Portion shall | | | | i i | |
| | have pre –laminated board / Bison Board Ivory color fixed in aluminum | | | | | |
| | frame matching with the Ivory color lamination. Roof of the cashier cabin | | | | | |
| | shall also have 8 mm thick powder coated 1ail. The rates also include | | | | | |
| | fixing of stoppers, handles, hinges; door closer & Godrej lock to the | | | | | |
| | cashier door etc complete job in all respects. | | | | | |

| | MANAGER CABIN PARTITION 5'-0" HT. | 110 | Sq.ft. | |
|-----|---|-----|--------|------|
| | P & F Manager Cabin Partition of aluminum 0036'-0" Ht. of 4" x 1.75" x | | | |
| | 2 mm ivory color powder coated pipe. Lower Portion 3'-6" Ht. shall have | | | |
| | pre -laminated board / Bison Board Ivory color fixed in aluminum frame | | | |
| | matching with the Ivory color lamination. Upper portion of the partition | | | |
| | shall have 6 mm thick glass. The rates include u shaped neoprene gasket. | | | |
| 7. | MAIN ENTERANCE DOOR & BACK DOOR | 190 | Sq.ft. | |
| | (WITH LOCK & DOOR CLOSER) | | | |
| | P & F of aluminum door 8' Ht. high as per design. The aluminum section | | | |
| | should be 4"x 1.75" x 2 mm for frame & panel shall be ivory colored | | | |
| | powder coated. The lower 3'-0" high portion of the door shall have pre- | | | |
| | laminated board / Bison Board fixed in aluminum frame of ivory color. | | | |
| | Upper part shall have 6 mm thick glass. These aluminum frames includes | | | |
| | channels, beading & u shaped neoprene gasket. Rates includes providing | | | |
| | & fitting of all hardware items such as Godrej locks, stoppers, handles, | | | |
| | door closer, hinges etc., i.e. Complete job in all respects. | | | |
| 8. | GYPSUM BOARD | 200 | Sq.ft. | |
| | Providing & Fixing of m/f Suspended False Ceiling as the detail given in the | | | |
| | drawings. With G.I frame work and 12.5mm tapered gypsum board panels to form | | | |
| | grids of 45.7X122 cm as per manufactures specification including provision for | | | |
| | stepped shaped ceiling for lighting tough comprising. | | | |
| 9. | FALSE CEILING IN MAIN HALL DOOR & STORAGE ROOM | 670 | Sq.ft. | |
| | (AT 9'-0" HIGH) | | 7.00 | |
| | P & F in position false ceiling in Armstrong 600 X 600 mm x 15/16 mm | | | |
| | Dune Supreme RH 99 Prima file as specified by Armstrong Co. with | | 9 | |
| | suspenders wherever required making necessary cutouts for A.C. ducting. | 2 . | | |
| | If any and necessary cutouts for diffusers and light fittings, taping and | | | |
| | finished to proper line & level including making groves and trap doors for | | | Tall |
| | A.C. Unit in 18 mm thick M.R. Grade plywood with stainless steel hinges | | | |
| | & locks with molding 1" x 1" for edges, if any including finishing with | | | |
| | white plastic emulsion paint etc. complete in all respects. | | | |
| | (Note: - Only the plan area will be measured for payment. No extra | | | |
| | payment will be made for cutouts, grooves, moldings, steps or any type | | | |
| | of design etc.) | | | |
| 10. | STORAGE CABINET, STRONG ROOM & STATIONARY ROOM | 140 | Sq.ft. | |
| | AT 7' HT & KITCHEN UNDER SELF & AT 4'-0" HT, 2' HIGH. | | 568 | |
| | INCLUD STORAGE FOR OFFEICER IN THE BANK HALL. | | | |
| | Providing and fixing storage Cabinate in position modular wooden storage | | | |
| | cabinets along with partitions having 4'-0" ht In Banking 18" inch deep in | | | |
| | banking hall and 2'-0" depth others. It shall be made out of 25.0 mm | | | |
| | thick commercial board with 1.0mm thick laminate (white cedar) on all | | | |
| | exposed surface and 1.0 mm thick laminate (burgundy) on skirting. With | | | |
| | 2-5 shelves made up of 19mm thick commercial board, all the interial | | | |
| | surfaces shall be finished with 0.8mm thick mica of desired shade and | | | |
| | design and the exposed wood shall be deco painted/ melamine polished in | | | |
| | desired shade. The work includes supplying, fixing of auto closed hinges, | | | 7. |
| | magnetic catchers, handles, locks, teak lipping etc complete in all respects | | | |
| | to the complete satisfaction of the architect. | | | - |
| 11. | VOUCHER STAND | 1 | No | |
| | Voucher stand of size 4'-0"x 3'-0" x 1'-0" made of 19 mm Anti- termite | | P | |
| | commercial board. All exterior surfaces shall have 1mm thick laminate | | | |
| | including partition boxes. It shall have 5 partitions for keeping vouchers. | | | |
| | All edges shall have teak wood margin molding with duly polished in | | | |
| | burgundy color (Bank Shade). | | | 5 |
| 12. | NOTICE BOARD | 1 | No | |
| 12. | | | | |
| 12. | Notice board of size 4'-0" x 2'-0" made of 19 mm anti termite commercial | | | |
| 12. | Notice board of size 4'-0" x 2'-0" made of 19 mm anti termite commercial board at back. Board shall be covered with 12 mm thick celotexee board | | | |
| 12. | | | | N. |
| 12. | board at back. Board shall be covered with 12 mm thick celotexee board | | | * |



| 13. | SUGGESTION BOX | 1 | No. | |
|-----|--|-------------|-------------|--|
| | Suggestion box of size 1'-0" x 1'-0" x 9" made of 19mm thick commercial | | | |
| | board. All exposed surfaces shall be covered with 1mm thick laminate of | | | |
| | white cedar color. Edges Shall be covered with teak wood margin/ | | | |
| | molding. It shall be polished in burgundy color (Bank color). A slit | | | |
| | opening of 10 mm 22150mm is o be provided at the top of the box an open | | | |
| | able shutter made of 19mm thick drop board is to be provided. Proper | | | |
| | arrangement for locks shall be made by the contractor. | | | |
| 14. | SIDE RACK FOR OFFICER 3'-6" X1'-6"X 2'-6" WITH SAME | 2 | No. | |
| | SPECFICATION AND MANGER | | 334 346 523 | |
| 15. | 9" HIGH FRONT & SIDE GLASS WITH PROPER FITTING OF | 30 | Rft | |
| | WOODEN SUPPORT DULY LAMINATED | | | |
| | Providing and fixing 12 mm thick, clear plain float glass of approved | | | |
| | pattern fixed in vertical position 6" above counter level as per drawing. | | | |
| | Fixed on both sides on wooden partition with superior quality stainless | | | |
| | steel glass holders (3 no. on both Sides). A 6" dia. Semi circular hole at the | | | |
| | bottom for transaction shall be provided. All the edges of the glass shall be | | | |
| | grinded polished and left free. Only glass area with maximum height shall | | | |
| | be measured for the purpose of payment. | | | |
| 16. | STEEL SETTEE | 1 | No. | |
| | Providing of three Seater silver color steel settee. | | | |
| | TOTAL | | | |
| | GST (18 %) | | | |
| | GRAND TOTAL | <u>C 7 </u> | | |

TOTAL IN WORDS:

